

• 磁石 磁石 磁石 SF-P030 磁石

ICT 磁石 磁石 磁石 磁石 磁石 (磁石 磁石 磁石 磁石 磁石) 磁石 磁石。 磁石 磁石 磁石, 磁石 磁石 磁石 磁石。 磁石 磁石 磁石 磁石 磁石 磁石。

ICT 磁石 磁石 磁石 PCB 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石。 磁石, 磁石, 磁石 磁石 磁石 磁石 磁石 磁石, 磁石, 磁石 磁石, 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石。

磁石 磁石

SuzhouShengyifurui 磁石 磁石 Co., 磁石 磁石 磁石 磁石 磁石 pinsupplier 磁石。 磁石 1984 磁石 磁石 Cixi 磁石 磁石 磁石 磁石。 磁石 磁石 30 磁石 磁石 磁石 磁石 15 磁石 磁石 磁石 磁石。 磁石 IS O 9 0 0 1 磁石 磁石 磁石 磁石 磁石。


磁石 Suzhouin 2010 磁石 磁石 磁石 磁石 磁石。 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石。 磁石 磁石 磁石, 磁石 磁石, 磁石 磁石, 磁石 磁石 磁石 磁石 磁石。 磁石 PCB, ICT, SMT, IC 磁石 磁石 磁石 磁石。 磁石 磁石 磁石 磁石 磁石 磁石 磁石 磁石。




Production Flow (生产流程) **SFENG**
The Choice The Future

1. raw material warehouse	2. Lathe workshop	3. Assemble workshop
4. Quality inspection	5. Finished products	6. Packing


磁石 磁石 磁石 SF-P030 磁石




SF-R030-VR




SF-R030-VRW



SF-RL030-VR



SF-RL030-VRW



-B




-U3



-J




-U




-E




-G2



-T



SF-P030-B



SF-PL030-B

Probe specifications SF-P030 PL030(技术规格)

- Recommended minimum center(最小间距): 0.90m(.0354 ")
- Mounting hole size(钻孔尺寸): 0.65mm(.0256 ")
- Full travel(行程): 2.0(.0787 ")
- Spring force(弹簧压力): 60g(克)
- Materials and finishes(材料及涂饰):
Plunger:SK4,Rh plated
Barrel:Phosphor bronze,Gold plated
Spring:Music wire,Gold plated
- Current rating(额定电流): 1A(安培)
- Contact resistance(接触电阻): 150mΩ(毫欧姆)

Receptacle specifications

Materials and finishes: Phosphor bronze,
Gold plated


Noted: Specifications subject to change without notice(注: 规格变动不另行通知)

2. 00 0 000

3. 00 000 00 0 00

4. 000 000 0000 0

Measuring Equipment >



Measuring Equipment:

1. Agilent current testing;
2. Quadratic element measurement
3. Load Curve Meter
4. Bond Test
5. Life Fatigue Test