

□□ □□

| | |
|-------|------------------|
| □□ | SFENG |
| □□ □□ | □□ □□ (□□ □□ □□) |
| □□ | □□□□ |
| □□ □□ | 7 □ □□□□□ □ |

□□□ □□



□□□ □□□

1. □□□□ 24 □□ □□ □□□ □□.
2. □□□ □□ □□□□ □□□□, OEM□ □□□□□.
3. □□ □□ □□□ □□□□ □□□ □□□ □□ □.

4. 00 0000 0000 00 0000 0000 00 00.

00 0000

--00 0 PCB, ICT 0 FCT 0000000000 0 (000);

-- 00 0 (0000) 0000 (000000 00) 0000 00000 0

0 00, 00 00, 0000, 0000 0 00 00 00 & 00;

0 00 00 00000;

--00 BGA & A 0 00 00 0000; 0 conudtion 0000;

--0000 QZ & A 0, 00 0, LM 0000 0; VZ 00;

--00 00 0000, 0000 0000, 00 00 00.

--0000 & 00; 00 / 00;

--00 00 00 compents, 30 # OK 0000, 00 00 00, POM0000 0 00 00

00 00

Spring exhausted tester



DC power supply



Current resistance tester



Microscope



Tensile strength tester



Spring tester



