


□□ □□

□□ □□	SF-P125-J(120)
□□□□□	4.5mm
□□□ □	180±20%gf@load 4.5mm
□□ □□	50mΩ □□
MOQ	100PCS
□□	□/□
□□ □□	□□□□ □□ □ 5~10□



□□ □□



Materials(Plated) (材質與鍍層):  
 Barrel(針套) : Brass(黃銅) , Au on Ni Plated  
 Plunger(針軸) : Brass(黃銅) , Ni Plated  
 Spring(彈弓) : SUS (不銹鋼線) , /

Specifications (技術要求):  
 Full Stroke(滿行程) : 4.5mm  
 Spring Force(彈力) : 180±20%gf@ load 4.5mm




					名称: SF-P125-J(L20)			胜峰科技		
								说明: 1. 所有尺寸单位为mm 2. 未注图示尺寸公差:按GB1804-79 11级精度执行		
标记	处数	更改文件号	签字	日期	图样	标记	视图	质量	比例	图纸编号:
设计			标准化		S	A	⊕		1:1	
校对			审定							
审核			制图	RSS						
工艺			日期	2020-09-24	共	1	页	第	1	页



Probe specifications SF-P125(技术规格)

- Recommended minimum center(最小间距): 3.17mm(.1248")
- Mounting hole size(钻孔尺寸): 压克力: 2.40mm(.0945") 电木板、玻璃纤维板: 2.45mm(.0965")
- Full travel(行程): 6.30(.2480")
- Spring force(弹簧压力): 200g
- Materials and finishes(材料及涂饰): Plunger: Be Cu, Rh plated; Barrel: Brass, Gold plated; Spring: Stainless steel
- Current rating(额定电流): 5A(安培)
- Contact resistance(接触电阻): 50mΩ(毫欧姆)
- Connections(接线形式): Crimp: R125-VCR, R125-CR Solder cup: R125-VSC, R125-SC

Noted: Specifications subject to change without notice(注: 规格变动不另行通知)



Probe specifications SF-P156(技术规格)

- Recommended minimum center(最小间距): 4.75mm(.1870")
- Mounting hole size(钻孔尺寸): 压克力: 2.75mm(.1083") 电木板、玻璃纤维板: 2.80mm(.1102")
- Full travel(行程): 6.30(.2480")
- Spring force(弹簧压力): 250g
- Materials and finishes(材料及涂饰): Plunger: Be Cu, Rh plated; Barrel: Brass, Gold plated; Spring: Stainless steel
- Current rating(额定电流): 5A(安培)
- Contact resistance(接触电阻): 50mΩ(毫欧姆)
- Connections(接线形式): Crimp: R156-VCR, R156-CR Solder cup: R156-VSC, R156-SC

Noted: Specifications subject to change without notice(注: 规格变动不另行通知)





1. raw material warehouse



2. Lathe workshop



3. Assemble workshop



4. Quality inspection




5. Finished products



6. Packing



## Measuring Equipment >



### Measuring Equipment:

1. Agilent current testing;
2. Quadratic element measurement
3. Load Curve Meter
4. Bond Test
5. Life Fatigue Test





☐☐ ☐☐

1. PCB, ICT, FCT 產品 專 業 工廠 專 業 代 理(總 經 銷);
2. SMT, 貼 片 機, 波 峰 爐, 回流 爐 及 各種 電 子 組 裝 設備 專 業 代 理 廠 家 直 接 採 購 批 發 零 售 均 可 接 洽(總 經 銷);
3. BGA 及 各種 封 裝 成 品 批 發 零 售 均 可;
4. 各種 電 子 組 裝 廠, 貼 片 機, QZ 及 VZ 各種 設備 LM 等;
5. 各種 配件, 膠 帶, 錫 膏, 錫 球 等;
6. 各種 電 子 材 料;
7. 各種 電 子 材 料, 貼 片 機, POM 等 廠.

專 業 代 理 廠 家 直 接 採 購 批 發 零 售 均 可 接 洽. 專 業 代 理 廠 家 直 接 採 購 批 發 零 售 均 可 接 洽.

☐☐☐ ☐☐☐

1. 專 業 代 理 廠 家 直 接 採 購 24 小時 專 業 代 理 廠 家 直 接 採 購.
2. 專 業 代 理 廠 家 直 接 採 購 OEM 專 業 代 理 廠 家 直 接 採 購.
3. 專 業 代 理 廠 家 直 接 採 購 專 業 代 理 廠 家 直 接 採 購 專 業 代 理 廠 家 直 接 採 購.
4. 專 業 代 理 廠 家 直 接 採 購 專 業 代 理 廠 家 直 接 採 購 專 業 代 理 廠 家 直 接 採 購.