

☐☐ ☐☐

☐☐ : ☐☐ ☐☐☐

☐ : ☐☐ ☐☐

☐☐ : 0.6 * 95.25mm

☐☐ : ☐☐☐☐ ☐☐ ☐ ☐☐ ☐☐☐☐☐

☐☐ ☐☐

SFENG
The China's The World's

RoHS

QUALITY ASSURED FIRM
ISO 9001
SGS

CE

chinapogopinsupplier.com

☐☐☐ ☐☐☐

- 1.Reply 24 ☐☐ ☐☐ withn ☐☐
- 2.Customized ☐☐☐☐ ☐☐☐☐, OEM ☐☐
- 3.Delivery ☐☐☐ ☐☐☐☐ ☐ ☐☐ ☐☐☐☐ ☐☐☐ ☐
- 4.provide ☐☐☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐

□□ □□

--- □□□ □ □ PCB, ICT, FCT □□□□□□ (□□)

--- □□ □ (□□□) □□□ (usuallytemporary) □□□ □□□□□

□ , □□ □□□, □□□ & A □□□□□ □□ □□ □□;

interconnectApplications;

--- □□ □□ probef orBGA & A, semiconudtion □□□;







--- □□ □ □□□, coatingpin, LM □ withQZ & A; VZseries;

--- □□ □□ □□□, □□□ □□□, □□ □□ ...

--- □□□ & A, □□ / □□;

--- □□ □□ □□ compents, 30 # OKwire, □□ □□ □□, POM, Ironhinge □

□□ □□

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□ □ □ □

