


□□ □□

□□	SFENG
□□ □□	SF-GB031B570D20-BB
□□□	□□, □□□
□	□□, □□□
□	□□ □□□
□□ □□	0.65mm
□□ □□	1.1mm

□□ □□



□□□ □□□

1. □□□□ 24□□ □□□ □□□□ □□□ □□□.
2. Customized □□□□ □□□□□, OEM □□□□□□
3. □□□ □□□□ □ □□ □□□□ □□□ □□ □□□□□.
4. □□□□ □□□□ □□ □□□ □□□□□□.

□□ □□

---PCB, ICT, FCT □□□ □□ □□ □□□ □□ □(□□);

---□□ □(□□□□) □□□ (□□ □□) □□□ □□□□□.

□□, □□ □□, □□□□, □□□□ □ □□□ □□ □□ □□ 2□

□□ □□□□ □□□□;

---□□ □□□ □□ BGA □ □□□ □□□;







---□□□□ □□ □□ □, □□ □, QZ&VZ □□□□ □□ LM □;

---□□□□ □□□, □□□ □□□, □□□□□ □□...

---□□□ □ □□□/□□;

---□□ □□ □□ □□, 30#OKwire, □□ □□ □□, POM, Ironhinge □

□ □

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, industrial-grade cabinet with a glass door and a control panel on the right side.	 A white, rectangular device with a black front panel. It features a red power switch, several control knobs, and output terminals. The text 'YoRI' and 'ADJUSTABLE DC POWER SUPPLY' is visible on the panel.	 A white, rectangular device with a large green digital display showing '8888'. It has a warning symbol and a circular port on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a stage.	 A blue and white mechanical testing machine with a vertical column and a sample holder.	 A white and blue mechanical testing machine with a digital display and a sample holder.

□ □

