


☐☐ ☐☐

☐☐	SFENG
☐☐ ☐☐	∅0.3*36.0mm
☐☐	☐☐ ☐☐☐
☐☐	☐☐☐☐
MOQ	100☐
☐☐☐☐	☐☐☐☐ ☐☐ ☐ ☐☐☐ ☐☐ 7☐

☐☐ ☐☐



☐☐☐ ☐☐☐

1. ☐☐☐☐ 24☐☐ ☐☐☐ ☐☐☐☐☐ ☐☐☐ ☐☐☐.
2. Customized ☐☐☐☐ ☐☐☐☐☐, OEM☐ ☐☐☐☐☐

3. 0000 0000 0 00 0000 0000 00 000000.

4. 0000 0000 00 000 0000000.

00 00

---PCB, ICT, FCT 0000 00 00 0000 00 0(00);

--00 0(000) 000 (00 00) 0000 000000.

00, 00 00, 000, 000 0 0000 00 00 00 20

00 0000 0000;

--00 000 00 BGA 0 0000 000;

--0000 00 00 0, 00 0, QZ&VZ 00000 00 LM 0;

--0000 000, 000 000, 000000 00...

--0000 0 000/00;

--00 00 00 00, 30#OKwire, 00 00 00, POM, Ironhinge 0

00 00

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

