


00 00

00	SF265-G300-5780L-1300L-250G-002
00	000: Becu, Ni 00 Au 00: 00, Ni 00 Au 00 000: PEEK 00 00: Becu, Ni 00 Au 000: POM 0: SWP
00 00	3A
0000	2.5N
0 0000	7.0mm
000 00	2.4mm

00 00



000 000

1. 00 00 2400 000 000 000 000 0 0000.
2. 000 000 0000 0000 000 OEM 000000.
3. 000 000 0000 0 00 0000 000 00 000 0 0000.
4. 000 000 00000000 000 000 00 0000 0000.

00 00

PCB, ICT, FCT 000 00 00 0000 00 0(00);

00, 00 00, 0000, 0000 0 00 00 00000000 00 0 00 00 00 000 0000 0000 Pogo 0(000);

BGA 0 000 0000 00 000;







0000 00 00 0, 00 0, QZ 0 VZ 0000 00 LM 0;

000 000, 000 000, 000000 00;

000 0 0000 /00;

□□ □□ □□ □□, 30# OK □□□, □□ □□ □□, POM, □ □□ □

□□ □□

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□



Item: SF265-G300-G5780L-
1300L-250G-002

Qty: 100PCS

Date: 2022/11/26