

00 00

00	SFENG
00 00	SF-P125-J
000	00 00 Becu, 0 00 00 00
0	00, 0 00 00 00
0	SK4 00 000
0 00	200g
00 00	6.3
00 00	5A
00 00	50MΩ
00	3.17mm
00 00 00	2.4mm
MOQ	(100) 0
00 00	7 00000 0 000

00 00

胜峰探针
SFENG
The China's The World's

RoHS

QUALITY ASSURED FIRM
ISO 9001
SGS

CE

chinapogopinsupplier.com

胜峰探针
SFENG
The China's The World's



chinapogopinsupplier.com



chinapogopinsupplier.com

□□□ □□□

- 1.Reply 24 □□ □□ □□ □□
- 2.Customized □□□□ □□□□, OEM □□
- 3.Delivery □□□ □□□□ □ □□ □□□□ □□□ □
- 4.provide □□□ □□□□ □□ □□ □□ □□

□□ □□

- □□□ □ □ PCB, ICT, FCT □□□□□□ (□□)
- □□ □ (□□□) □□□ (usually temporary) □□□ □□□□□

□ , □□ □□□, □□□ & A □□□□□ □□ □□ □□;

interconnectApplications;

--- □□ □□ probe or BGA & A, semiconduction □□□;







--- □□ □ □□□, coating pin, LM □ with QZ & A; VZ series;

--- □□ □□ □□□, □□□ □□□, □□ □□ ...

--- □□□ & A, □□ / □□;

--- □□ □□ □□ compents, 30 # OK wire, □□ □□ □□, POM, Iron hinge □

□□ □□

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□ □□

