
□□ □□ □□ □□ □□ SF-PPA0.31 BY 6.3-BB

<u>|</u>|:

	SFENG [
	□□ □□ □□ □□ □ SF-PPA0.31 BY 6.3-BB
	PhBz
	SWP
	20g ± 20 % @ [] 0.70mm [] [] []
	□ 50m □
	1A
MOQ	100PCS [] [] [] []
	2 ~ 15 [] [] [] [] [] []





- 1.we have 30 years experience in probe pin and have ourself factory.
- 2.we provide free sample and have a testing department.
- 3.we could manufacture products as your request.
- 4.we guarantee best price and good service.

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two
printed circuit boards for charging, locating, Battery, Semic
onductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ a
nd VZ series;

High current probe, Switch probe, Capacitance needle; Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig loc ks, POM, Iron hinge etc



1. Agilent current testing



2. Quadratic element



3.Load Curve Meter



4.Bond Test



5.Life Fatigue Test



6.Microscope

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.













