

☐☐ ☐☐

☐☐	SFENG
☐☐ ☐☐	☐☐ ☐☐ ☐☐☐☐☐ ☐
☐☐	☐☐ ☐☐ ☐☐ ☐☐ ☐☐
☐☐ ☐☐	7 ☐ ☐☐☐☐☐☐ ☐

☐☐ ☐☐



☐☐☐ ☐☐☐

1. ☐☐☐ ☐☐ ☐ ☐ ☐☐☐☐ 24 ☐☐ ☐☐ ☐☐☐☐☐.
2. ☐☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐, OEM☐ ☐☐☐☐☐.

3. 000 00 0 0 0000 00 000 0000 000 0000 000 0.

4. 000 00 0 0 0000 000 0000 00 000 0000 00 00.

00 00

PCB, ICT, FCT 000 0000 00000 0 (00);

00 0 (000) 000 00 00 00 000 000 00000, 00 00, 000, 000 & A; 00 00 00 0000;

BGA 000 0000000 00 00 000;




000 00 0, 00 0, QZ 0 VZ 000 LM 0;

00 00 000, 000 000, 00 00 00;

000 & A; 00 / 00;

00 00 00 00, 30 # OK 000, 00 00 00, POM, 0 00 0

00 00

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
