

金針

廠名	SFENG
規格	ø0.8-2.0 * 95.25mm
材料	304, 316, SWP 316;
包裝	7 個裝

金針

SFENG

The China's The World's

RoHS

QUALITY ASSURED FIRM

ISO 9001

SGS

CE

CE



chinapogopinsupplier.com

金針

- 1. 金針 304 316 316L 24 個裝 金針 304.
- 2. 金針 304 316 316L, OEM 金針 304.

3. 0000 00 0 0 0000 00 0000 0000 0000 0000 0.

4. 0000 00 0 0 0000 0000 0000 00 0000 0000 00 00.

00 00

PCB, ICT, FCT 0000 00000 00000 0 (000);

00 0 (0000) 0000 00 00 00 0000 0000 000000, 00 00, 0000, 0000 & A; 00 00 00 0000;

BGA 0000 00000000 00 00 0000;

0000 00 0, 00 0, QZ 0 VZ 0000 LM 0;

00 00 0000, 0000 0000, 00 00 00;

0000 & A; 00 / 00;

00 00 00 00, 30 # OK 0000, 00 00 00, POM, 0 00 0

00 00

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

