


	SFENG
	125mil
	SF-PA125
	Cu, [] / [] []
	2N (7.2oz)
MOQ	100 □

SF-P156











- $1. \hspace{0.1cm} \bigcirc \bigcirc \bigcirc \hspace{0.1cm} 24 \hspace{0.1cm} \bigcirc \bigcirc \hspace{0.1cm} \bigcirc \bigcirc$
- 2. 000 000 0000 0000 0000 OEMO 00000.
- $3. \ \, \Box\Box\Box\ \, \Box\Box\ \, \Box\Box\Box\ \, \Box\Box\Box\Box\ \, \Box\Box\Box\ \, \Box\Box\Box\ \, \Box\Box\Box\ \, \Box\Box\Box\Box.$
- 4. 000 0000 0000 000 00 0000 00 0 0 0

$\Pi\Pi$ $\Pi\Pi$

000 000, 000 000, 00000 00; 000 0 0000 / 00; 00 00 00 00, 30 # OK 000, 00 00 00, POM, 0 00 0









1. Raw material warehouse 2. Lathe workshop

3. Assemble workshop







4. Quality inspection


5. Finished products

6. Packing






1. Agilent current testing



2. Quadratic element



3.Load Curve Meter



4.Bond Test



5.Life Fatigue Test



6.Microscope







Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.













