

00 00

00	SFENG
00	SF-P75
00 0	00 00 000 00, 0 00 00 00
00	00, 0 00 00 00
0	SK4, 00 00
00	120g
00 00	3.35 MM
00	3A
00	50MΩ000.
00 00	1.9 mm
00 00 00	1.35 MM
MOQ	(100)
00 00	7 0 00000 0

00 000

胜峰探针
SFENG
The China's The World's

RoHS

QUALITY ASSURED FIRM
ISO 9001
SGS

CE

chinapogopinsupplier.com



chinapogopinsupplier.com

产品优势

1. 24 小时 服务 网络 覆盖
2. OEM 服务, 提供 定制 服务 及 技术支持
3. 产品 种类 丰富 规格 齐全
4. 价格 公道, 交货 及时

应用领域

- PCB, ICT, FCT 测试 应用
- 汽车 电子, 工业 电子
- BGA 测试; A; 封装 测试;







-- 鋼 鋼 鋼 鋼, 鋼 鋼, LM 鋼;

-- 鋼 鋼 鋼 鋼, 鋼 鋼 鋼, 鋼 鋼 ...

-- 鋼; 鋼 / 鋼;

- O 鋼 鋼 鋼 鋼 鋼, 30 # OKwire, POM 鋼 鋼 鋼.

鋼 鋼

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door on the upper half and a control panel on the right side.	 A white, rectangular device with a black top panel. It features a red power switch, several knobs, and output terminals. The text "YoRi ADJUSTABLE DC POWER SUPPLY" is visible on the front.	 A white, rectangular device with a large green digital display showing "8.88.8". It has a "HIGH VOLTAGE" warning symbol and a "DC" label.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a stage, objective lenses, and an eyepiece.	 A blue and white machine with a vertical column and a horizontal arm, used for testing the tensile strength of materials.	 A white machine with a vertical column and a horizontal arm, used for testing the properties of springs.

鋼 鋼 鋼

