


□□ □□

□□	SF-420*4850
□□	□□ □□
□□□ □□	10A
□□ □□(□□)	15mΩ
□□ □□ □□	≥9.0mm
□□ □□	450±20%(6.5mm)

□□ □□



□□□ □□□

1. □□ □□ 24□□ □□□ □□□ □□□ □ □□□□.
2. □□□ □□□ □□□□ □□□□ □□□ OEM□ □□□□□.
3. □□□ □□□ □□□□ □ □□ □□□□ □□□ □□ □□□□.

4. 000 000 0000000 000 000 00 0000 000 0 0000.

00 00

PCB, ICT, FCT 000 00 00 0000 00 0(00);

00, 00 00, 0000, 0000 0 00 00 00000000 00 0 00 00 00 0000 0000 Pogo 0(000);

BGA 0 0000 00000 00 000;

00000 00 00 0, 00 0, QZ 0 VZ 00000 00 LM 0;

000 000, 000 000, 000000 00;

000 0 0000 /00;

00 00 00 00, 30# OK 000, 00 00 00, POM, 0 00 0

00 00



1. Raw material warehouse



2. Lathe workshop



3. Assemble workshop



4. Quality inspection



5. Finished products



6. Packing

00 00



□□ □□

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.



□□ □□□

