## □□ □□

| | |
|---|---|
| □□ | SFENG |
| □□ | SF-015X43.2-□□ |
| □□□ □□ | □□□□, □□□ |
| □□□□ □ □□ | □□□□ |
| □□□□ □ □□ | □□/□□/□□□/□□/□□ □□□/□□/□□□/□□/□□□ |
| □□□□ □ □□ | 1.17mm □ 1.4mm |
| MOQ | 2000□ |
| □□ □□ | □□ □ 3□ □□ □□ □□ |

## □□ □□□ □□

| Item no. | 颜色color（Plastic） | 针杆直径(ϕD) | 针杆长度（L） |
|---|---|---|---|
| SF-015 | 绿色Green | φ0.15 | 43.2 |
| SF-025 | 紫色purple | φ0.25 | 42.6 |
| SF-025 | 红色Red | φ0.25 | 43.2 |
| SF-025 | 金色Golden | φ0.25 | 43.8 |
| SF-025 | 橙色Orange | φ0.25 | 44.4 |
| SF-025 | 灰色Gray | φ0.25 | 45.6 |
| SF-025 | 白色White | φ0.25 | 46.7 |
| SF-040 | 蓝色Blue | φ0.4 | 43.2 |
| SF-060 | 黑色Black | φ0.6 | 43.2 |
| SF-080 | 黄色Yellow | φ0.8 | 43.2 |
| Sf-100 | 棕色Brown | φ1.0 | 43.2 |

## □□ □□□

## □□□ □□

1. □□ □□.

2. □□□ □□□ □□□□□.

3. □□ □□ □□□ □□ □□.

4. □□ □□□ □□□ □□□ □□.

## □□ □□

PCB, ICT, FCT □□□ □□;

□□ □, □□□□ □□□ □□ □□ □ □□ □

□ □□, □□□ □□, □□□□ □□, PH □□

□□ □, □, □ □, □□□□ □

□□□ □□, □□□ □□□ □□ □□, □□ □□

□□ □□ □□ □□, OK □□, □□□ □□, □□□, □ □□, POM□□, □, □□□ □□ □

## □□ □□

1. Raw material warehouse

2. Lathe workshop

3. Assemble workshop

4. Quality inspection

5. Finished products

6. Packing

## □□□ □□

1. Agilent current testing




2. Quadratic element

3.Load Curve Meter

4.Bond Test

5.Life Fatigue Test

6.Microscope

## □□& □□

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.