


□□ □□

SF021B570U11



□□□ □□□

1. □□□ 24 □□ □□□ □□□ □□□ □□ □ □ □□□□.
2. □□□ □□□ □□□□ □□□□ □□ □ OEM□ □□□□.
3. □□□ □□□ □□□□ □ □□ □□□□ □□□ □□ □□□□ □ □□□□.
4. □□□ □□□□ □□□□ □□□ □□ □□□□ □□ □ □ □□□□.

□□ □□

□□□□□□ (□□) PCB, ICT, FCT □□□□ □;

□□□□ (□□□□) 2 □□ □□ □□ □□ □□□ □□□ □□, □□ □□, □□□□, □□□□ & □□ □□ □□ □□□□;

□□□□□□ BGA □ □□□□□□□;

□□□□ □□□ □□□, □□ □□, LM □ QZ □ VZ □□□□;

□□□□□□□, □□□□□□□□, □□□□□□ □□;

□□□□ & □□□□ / □□□□;

□□ □□ □□, 30 # OK □□, □□ □□ □□, POM, □ □□ □

□□ □□

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door on the left side and a control panel on the right.	 A white, rectangular device with a black top panel. The front panel features a red power switch, a red terminal, a black terminal, and a blue terminal, along with several control knobs and a digital display.	 A white, rectangular device with a large green digital display showing '8.88.8'. It has a warning symbol and a control knob on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a stage.	 A blue and white machine with a vertical column and a horizontal arm, used for testing the tensile strength of materials.	 A white machine with a vertical column and a horizontal arm, used for testing the properties of springs.

□□ □□

