

□□ □□

□□	SFENG
□□ □□	SF-P75
□□□	□□
□	□□
□	SUS □□ □□ □□□
□ □□	120g
□□ □□	3.35 (0.1319 ") / 2.5 (0.0984 ")
□□ □□	3A
□□ □□	50mW
□□	1.90 (0.0748 ")
□□ □□ □□	1.35 (0.0532 ") / 1.40 (0.0551 ")
MOQ	100 □
□□ □□	7 □ □□□□□ □

□□ □□

chinapogopinsupplier.com



chinapogopinsupplier.com

## 我们 优势

1. 我们 24 小时 服务 网络 覆盖 全球 各个 地区。
2. 我们 拥有 丰富 经验 的 技术 团队 提供 OEM 服务。
3. 我们 拥有 完善 的质量 管理体系 确保 产品 质量 稳定 可靠。
4. 我们 拥有 先进的 生产设备 和 技术 人才 确保 产品 质量 稳定 可靠。

## 我们 产品

PCB, ICT, FCT 探针 系统 解决方案 (全套)

探针 (全套) 探针 系统 探针 系统 探针 系统, 探针, 探针, 探针 & A; 探针 系统 探针 系统;

BGA 探针 系统 探针 系统 探针 系统;







□□□ □□ □, □□ □, QZ □ VZ □□□ LM □;

□□ □□ □□□, □□□ □□□, □□ □□ □□;

□□□ & A; □□ / □□;

□□ □□ □□ □□, 30 # □□ □□□, □□ □□ □□, POM, □ □□ □

□□ □□

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door and control panel on the right side.	 A white, rectangular device with a black top panel labeled 'YoRI ADJUSTABLE DC POWER SUPPLY'. It features a red power switch, several knobs, and output terminals.	 A white, rectangular device with a digital display showing '8888' in green. It has a 'START' button and a 'STOP' button.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope on a wooden desk.	 A blue and white machine used for testing the tensile strength of materials, with a sample being held in place.	 A white and blue machine used for testing springs, with a spring being held in place.

□□ □□

