



□□ □□

□□ □□	SF3151
□□ □□	35A
□□ □□	50mΩ
□□□ □	900±100gf@load 6.0mm
□□□□	□□, Au on Ni □□
□	□□, □□□□
□	SUS
□□□□ □□	OEM & ODM
MOQ	100PCS
□□□	Plastic bag, carton box
□□	□□ □ 100% T/T
□□ □□	□□□□ □□ □ 5~10□

□□ □□



名称: SF-35A大电流针φ7.2X47



名称: SF-BR-35A大电流针φ7.2X47

材质: Brass(黄铜) Ni

Materials(Plated) (材質與鍍層):

Barrel(針套) : Brass(黄铜) , Ni  
 Plunger(針軸) : Brass(黄铜) , Au on Ni Plated  
 Spring(彈弓) : SUS (不锈鋼線) , /

Specifications (技術要求):

Current Rating(額定電流) : 35A  
 Contact Resistance(接觸電阻) : 50mΩ  
 Rated Stroke(額定沖程) : 6.00mm  
 Spring Force(額定彈力) : 900g±100gf@ load 6.00mm

□□ □□



1. raw material warehouse



2. Lathe workshop



3. Assemble workshop



4. Quality inspection



5. Finished products



6. Packing



## Measuring Equipment >



### Measuring Equipment:

- 1. Agilent current testing;
- 2. Quadratic element measurement
- 3. Load Curve Meter
- 4. Bond Test
- 5. Life Fatigue Test



