

□□ □□

□□	SFENG
□□ □□	SF-P75
□□□	□□
□	□□
□	SUS □□ □□ □□□
□ □□	120g
□□ □□	3.35 (0.1319 ") / 2.5 (0.0984 ")
□□ □□	3A
□□ □□	50mW
□□	1.90 (0.0748 ")
□□ □□ □□	1.35 (0.0532 ") / 1.40 (0.0551 ")
MOQ	100 □
□□ □□	7 □ □□□□□ □

□□ □□

胜峰探针
SFENG
The China's The World's

RoHS

QUALITY ASSURED FIRM
ISO 9001
SGS

CE

chinapogopinsupplier.com



chinapogopinsupplier.com

优势 优势

1. 24 小时 服务 网络 覆盖 全球 各个 地区。
2. 提供 各种 规格 探针 的 OEM 定制 服务。
3. 提供 各种 规格 探针 的 样品 服务 及 技术支持。
4. 提供 各种 规格 探针 的 价格 优惠 及 售后服务。

应用 领域

PCB, ICT, FCT 测试 探针 网络 测试 (ICT)

各种 规格 探针 的 测试 网络 测试, 测试, 测试, 测试 & A; 各种 规格 探针;

BGA 测试 网络 测试 网络 测试;







□□□ □□ □, □□ □, QZ □ VZ □□□ LM □;

□□ □□ □□□, □□□ □□□, □□ □□ □□;

□□□ & A; □□ / □□;

□□ □□ □□ □□, 30 # □□ □□□, □□ □□ □□, POM, □ □□ □

□□ □□

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door and control panel on the right side.	 A white, rectangular device with a black top panel labeled 'YoRI ADJUSTABLE DC POWER SUPPLY'. It features a red power switch, several knobs, and output terminals.	 A white, rectangular device with a digital display showing '8888' in green. It has a 'START' button and a 'STOP' button.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope on a wooden desk.	 A blue and white machine used for testing the tensile strength of materials, with a vertical frame and a sample holder.	 A white and blue machine used for testing springs, featuring a vertical frame and a digital display.

□□ □□

