

□□ □□

□□	SFENG
□□ □□	SF-SP2.96 * 49.5
□□□	□□
□	□□
□	SUS
□ □□ 1	120g@2.5mm
□□□ □□	450g@5.0mm
MOQ	(100) □
□□ □□	7 □□□□ □ □□□

□□ □□

SFENG
The China's The World's

RoHS ISO 9001 SGS CE

Technical drawing showing dimensions:
Diameters: $\phi 3.0$, $\phi 1.90$, $\phi 3.08$, $\phi 2.96$, $\phi 2.50$, $\phi 1.50$
Lengths: 5.0, 5.0, 1.0, 2.0, 1.5, 33.0, 2.5, 4.0
Total length: 49.5

chinapogopinsupplier.com

SFENG
The China's The World's



chinapogopinsupplier.com

品質 保證

1. 品質 保證 24 小時 服務 熱線。
2. 品質 保證 價格 公道 歡迎 各界 OEM 客戶 垂詢。
3. 品質 保證 貨 真 價 實 批 發 零售 均 歡迎 各界 人士 垂詢。
4. 品質 保證 貨 真 價 實 批 發 零售 均 歡迎 各界 人士 垂詢。

服務 項目

PCB, ICT, FCT 測試 設備 維修 及 保養;

各種 測試 設備 租賃 及 維修, 批 發, 零售, 批發 & A; 批 發 零售 批發;

BGA 測試 設備 批發 零售;







□□□ □□ □, □□ □, QZ □ VZ □□□ LM □;

□□ □□ □□□, □□□ □□□, □□ □□ □□;

□□□ & A; □□ / □□;

□□ □□ □□ □□, 30 # □□ □□□, □□ □□ □□, POM, □ □□ □

□□ □□

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□ □□

