

- 0000 0 00 0000 SF-P030 0000

ICT 0000 00 00 0 0000 0000 0 (000 00 0000 000000 0) 0000000. 0000 00 0000, 00 0 00000 0000000. 0000 00 00 00 0000 00000 00000.

ICT 0000 00 00 PCB 00 0 00 0000 0000 0000 00 00000 00 0000 000000 0 0000000. 0000, 000000, 00 00000 00 00 0000 00000 00 0000, 0000, 00 0000, 00 00 00 00 0 00 0000 00 00000 00 0 0 00000.

00 00

SuzhouShengyifurui 00 00 Co., 00 0000 000000 0000 00 pinsupplier0000. 0000 1984 0 00 0 Cixi000 00 0 00 0000 00000. 0 00000 30 0000 0000 00 0000 15 0 0000 00 0 0000. 00000 I S O 9 0 0 0 1 00 00 00000 0 0000000.


0000 Suzhouin 2010 0000 00 0000 00000000. 0 00 00000 00000 0000 0000 00000 00000 00 0000 0000 00000. 0000000 0000 0, 00 0, 0000 0, 00 0 0 000000 0000000. 0000 PCB, ICT, SMT, IC 00000 00 0000000. 0000 00 00 0000 0000000 0000 00000 00 0000 0000000.




Production Flow (生产流程) **SFENG**
The China's The World's

		
1. raw material warehouse	2. Lathe workshop	3. Assemble workshop
		
4. Quality inspection	5. Finished products	6. Packing


0000 00 0000 SF-P030 0000




SF-R030-VR



SF-R030-VRW



SF-RL030-VR



SF-RL030-VRW



-B




-U3



-J




-U




-E




-G2



-T



SF-P030-B



SF-PL030-B

Probe specifications SF-P030 PL030(技术规格)

- Recommended minimum center(最小间距): 0.90m(.0354 ")
- Mounting hole size(钻孔尺寸): 0.65mm(.0256 ")
- Full travel(行程): 2.0(.0787 ")
- Spring force(弹簧压力): 60g(克)
- Materials and finishes(材料及涂饰):
Plunger:SK4,Rh plated
Barrel:Phosphor bronze,Gold plated
Spring:Music wire,Gold plated
- Current rating(额定电流): 1A(安培)
- Contact resistance(接触电阻): 150mΩ(毫欧姆)

Receptacle specifications

Materials and finishes: Phosphor bronze,
Gold plated


Noted: Specifications subject to change without notice(注: 规格变动不另行通知)

2. 00 0 000

3. 00 000 00 0 00

4. 000 000 0000 0

Measuring Equipment >



Measuring Equipment:

1. Agilent current testing;
2. Quadratic element measurement
3. Load Curve Meter
4. Bond Test
5. Life Fatigue Test