

더블_헤드_접점_포고_핀_커넥터

사양:

상표	SFENG조사
품목 번호	더블_헤드_포고_핀 SF-0.45*25.8-BT
재료	플런저: Ni 도금된 Becu/Au 플런저: SK4 / Ni 도금 Au 배럴 : Ni 도금 PhBz / Au 봄 : SWP
현재 등급	0.5A
접촉 저항	100mΩ 이하
풀 스트로크	6.8mm
정격 스트로크	4.5mm
스프링 힘	75±20%
사이클 시간	100,000회
MOQ	100PCS we 재고가 있는 경우
리드타임	지불금을 받은 후 2-15일

그림 보여주다:

우리의 장점:

1.we have 30 years experience in probe pin and have ourself factory.

2.we provide free sample and have a testing depa rtment.

3.we could manufacture products as your request.

4.we guarantee best price and good service.

□□□ Main □□:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;

Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

□□□ □□:

Spring exhausted tester	DC power supply	Current resistance tester
Microscope	Tensile strength tester	Spring tester

□□□:

胜蜂电子