


00000000000000000000

00:

00	SFENG00
00 00	00 00 00 00 SF-0.45*25.8-BT
00	000: Ni 000 Becu/Au 000: SK4 / Ni 00 Au 00 : Ni 00 PhBz / Au 0 : SWP
00 00	0.5A
00 00	100mΩ 00
0 0000	6.8mm
00 0000	4.5mm
000 0	75±20%
000 00	100,0000
MOQ	100PCS we 000 00 00
0000	0000 00 0 2-150

00 0000:



000 00:

- 1.we have 30 years experience in probe pin and have ourself factory.
- 2.we provide free sample and have a testing department.
- 3.we could manufacture products as your request.
- 4.we guarantee best price and good service.

□□□ Main □□:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

□□□ □□:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□□:

