

00 00

00	SFENG
00 00	SF-P50-B
000	00 00 Becu, 0 00 00 00
0	00, 0 00 00 00
0	SK4, 00 000
0 00	100g
00 00	2.5MM
00 00	1.5A
00 00	50MΩ
00	1.27mm
00 00 00	0.9
MOQ	100 0
00 00	7 0 00000 0

00 00

胜峰探针  
**SFENG**  
The China's The World's

RoHS

QUALITY ASSURED FIRM  
**ISO 9001**  
SGS

CE

chinapogopinsupplier.com



chinapogopinsupplier.com

□□□ □□□

24 □□ □□ withn □□ 1.Reply

2.Customized □□□□ □□□□, OEM □□

□□□ □□□□ □ □□ □□□□ □□□ □ 3.Delivery

□□□ □□□□ □□ □□ □□ □□□ 4.provide

□□ □□

--- □ PCB, ICT, FCT □□□□□□ (□□) □□□□□ □;

--- □□ □ (□□□) □□□ (usuallytemporary) □□□ □□□□□

□□ □ □□ □□ □□ □□, □□, □□□, □□□ & A;

interconnectApplications;

semiconduction □□□; --- □□ or BGA & A□ probef □□;







-- □□□ □□ □, coating pin, LM □ with QZ & A; VZ series;

-- □□ □□ □□□, □□□ □□□, □□ □□ ...

-- □□□ & A, □□ / □□;

-- □□ □□ □□ compents, 30 # OKwire, □□ □□ □□, POM, Ironhinge □

□□ □□

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□ □□

