



□□ □□

|          |                                   |
|----------|-----------------------------------|
| □□       | SFENG                             |
| □□ □□    | SF-P100                           |
| □□□      | □□                                |
| □        | □□                                |
| □        | SUS □□ □□ □□□                     |
| □ □□     | 200g                              |
| □□ □□    | 6.40 (0.2520 ")                   |
| □□ □□    | 3A                                |
| □□ □□    | 50mW                              |
| □□       | 2.54 (0.1000 ")                   |
| □□ □□ □□ | 1.70 (0.0670 ") / 1.75 (0.0689 ") |
| MOQ      | (100) □                           |
| □□ □□    | 7 □□□□□ □ □□□                     |

□□ □□

# SF-P100



## Probe specifications SF-P100(技术规格)

- Recommended minimum center(最小间距): 2.54mm(.1000")
- Mounting hole size(钻孔尺寸):  
压克力: 1.70mm(.0670")  
电木板、玻璃纤维板: 1.75mm(.0689")
- Full travel(行程): 6.40(.2520")
- Spring force(弹簧压力): 200g
- Materials and finishes(材料及涂饰):  
Plunger: Be Cu, Rh plated; SK4, Rh plated  
Barrel: Brass, Gold plated  
Spring: Stainless steel
- Current ration(额定电流): 3A(安培)
- Contact resistance(接触电阻): 50mΩ(毫欧姆)

[www.shengfengdz.com](http://www.shengfengdz.com)



[chinapogopinsupplier.com](http://chinapogopinsupplier.com)

### 优势 特点

1. 产品 种类 多 且 规格 24 种 且 品种 多。
2. 产品 种类 规格 多 且 品种 多 OEM 产品 多。
3. 产品 种类 多 且 规格 多 且 品种 多 且 规格 多 且 品种 多。
4. 产品 种类 多 且 规格 多 且 品种 多 且 规格 多 且 品种 多。

### 应用 范围

PCB, ICT, FCT 测试 探针 产品 种类 多 (多);

测试 探针 (多) 测试 探针 测试 探针 测试 探针, 测试 探针, 测试 探针 & A; 测试 探针 测试 探针;

BGA 测试 探针 测试 探针 测试 探针;







□□□ □□ □, □□ □, QZ □ VZ □□□ LM □;

□□ □□ □□□, □□□ □□□, □□ □□ □□;

□□□ & A; □□ / □□;

□□ □□ □□ □□, 30 # □□ □□□, □□ □□ □□, POM, □ □□ □

□□ □□

|   |   |  |
|---|---|--|
| Spring exhausted tester   | DC power supply   | Current resistance tester  |
|   |   |   |
| Microscope  | Tensile strength tester   | Spring tester  |
|  |  |  |

□□ □□

