

Product Specificatie

Merk	SFENG
Itemnummer	SF-P100
Zuiger	Messing of Becu, goud of Ni plated
Vat	Messing, goud of Ni plated
Voorjaar	SK4, muziek draad
Spring Force	200g
Volledige Travel	6.4mm
Huidige Ration	3A
Weerstand	50mΩ
Toonhoogte	2.54mm
Montagegat grootte	1.7mm
MOQ	100 pcs
Doorlooptijd	7 werkdagen na ontvangst van de betaling

Product beeld









Onze service

1. Reply uw aanvraag within 24 werkuren
2. Customized ontwerp is beschikbaar, OEM zijn welkom
3. Delivery de sonde pinnen aan onze klanten over de hele wereld met snelheid en precisie
4. Provide de laagste prijs met een hoge kwaliteit aan onze klanten

Belangrijkste producten

- Veerkrachtklemmen pin (single) voor PCB, ICT, FCT testen, etc;
- Pogo pin (connector) naar een (usually temporary) verbinding tussen vestigen twee printplaten van charging, lokaliseren, Batterij, Semiconductor & amp; interconnect Applications;
- Double eindigde probe for BGA & amp; semiconductor testen;
- Universele pin zonder veer, coating pin, LM pin with QZ & amp; VZ series;
- Hoge stroom sonde, Switch sonde, Capaciteit naald ...
- Terminal & amp; vergaarbak / socket;
- Andere verwante elektronische components, 30 # OK wire, Jig sloten, POM, Iron hinge, etc

Kwaliteitscontrole

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, industrial-grade cabinet with a glass door and a control panel on the right side.	 A white, rectangular power supply unit with a black front panel. It features a red power switch, several knobs, and output terminals. The text 'YoRi ADJUSTABLE DC POWER SUPPLY' is visible on the front.	 A white, rectangular electronic device with a large green digital display showing '8888'. It has a warning symbol and a 'ZERO' button on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a camera attachment on top.	 A blue and white mechanical testing machine with a vertical frame and a central testing area.	 A white mechanical testing machine with a digital display and a control panel, used for testing springs.

Verpakking Picture

