

[Aangepaste Pylon probe PCB test veerbelaste sonde test contact pogo pin connector](#)

Productfoto





#### Onze service

1. We kunnen uw vraag binnen 24 werkuren beantwoorden.
2. Customizeddesign is beschikbaar en OEM zijn welkom.
3. We kunnen de probepennen leveren aan onze klanten over de hele wereld met snelheid en precisie.
4. We kunnen de laagste prijs met hoge kwaliteit product aan onze klant.







#### hoofd producten

1. [Veerbelaste pin](#) (single) voor [PCB](#), [ICT](#), [FCT](#) testen enz;
2. [Pogo pin](#) (connector) om verbinding tot stand te brengen tussen twee printplaten voor opladen, lokaliseren, [Accu](#), [Halfgeleider](#) & Amp; Verbind applicaties;
3. Dubbelzijdige sonde voor BGA- en halfgeleiderproeven;
4. Universele pin zonder veer, coating pin, LM pin met QZ en VZ-serie;
5. [Hoogstroomsonde](#), [Schakelaar sonde](#), Naald in de capaciteit, [Schroefdraad sonde](#);

6. Terminal & contactdoos / contactdoos;

7. Andere gerelateerde elektronische componenten, 30 # OK draad, Jig locks, POM, Iron scharnier etc.

## Kwaliteitscontrole

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, industrial-grade cabinet with a glass door and a control panel on the right side.	 A white, rectangular device with a black front panel. It features a red power switch, several knobs, and output terminals. The text 'YoRi ADJUSTABLE DC POWER SUPPLY' is visible on the panel.	 A white, rectangular device with a large green digital display showing '8.8.8.8'. It has a warning symbol and a control knob on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a digital display on top, mounted on a wooden desk.	 A blue and white mechanical testing machine with a vertical column and a sample being tested.	 A white mechanical testing machine with a digital display and a control panel, used for testing springs.

## Afbeelding inpakken

