

## Productspecificatie

|                    |  |
|--------------------|--|
| Merk               | SFENG                                    |
| Itemnummer         | SF-P75                                   |
| Zuiger             | messing                                  |
| Vat                | messing                                  |
| Lente              | SUS of Music draad                       |
| Veerkracht         | 120g                                     |
| Volledige Travel   | 3,35 (0,1319 ") / 2,5 (0,0984")          |
| Huidige Ration     | 3A                                       |
| Weerstand          | 50mW                                     |
| Toonhoogte         | 1,90 (0,0748 ")                          |
| Montagegat grootte | 1,35 (0,0532 ") / 1,40 (0,0551")         |
| MOQ                | 100 stuks                                |
| Doorlooptijd       | 7 werkdagen na ontvangst van de betaling |

## Product Picture



胜峰探针  
**SFENG**  
The China's The World's

RoHS

QUALITY ASSURED FIRM  
**ISO 9001**  
SGS

CE

chinapogopinsupplier.com

## **Onze Service**

1. Wij kunnen uw vraag beantwoorden binnen 24 werkuren.
2. Het aangepaste ontwerp is beschikbaar en OEM zijn welkom.
3. We kunnen de sonde pinnen te leveren aan onze klanten over de hele wereld met snelheid en precisie.
4. Wij kunnen de laagste prijs met een hoge kwaliteit product te leveren aan onze klant .

## **Hoofd producten**

Verende pen (enkel) voor PCB, ICT, FCT testen etc;

Pogo pin (connector) om de verbinding tussen twee printplaten te stellen voor het opladen, lokaliseren, Batterij, Semiconductor & amp; Interconnect toepassingen;

Dubbele eindigde sonde voor BGA en Semiconductor testen;







Universele pin zonder veer, coating pin, LM pin met QZ en VZ-serie;

Hoge stroom sonde, Switch sonde, Capaciteit naald;

Terminal & amp; vergaarbak / socket;

Andere elektronische componenten, 30 # OK draad, Jig sloten, POM, Iron scharnier etc

## ***Kwaliteitscontrole***

| Spring exhausted tester  | DC power supply  | Current resistance tester  |
|--|--|--|
|  A tall, white, industrial-grade testing machine with a large glass viewing window on the front door and various control panels on the right side. |  A white, rectangular YoRI adjustable DC power supply unit with a black top panel and a control panel featuring a red power switch, several knobs, and output terminals. |  A white electronic testing device with a large green digital display showing '8888', a warning symbol, and a dial on the right side. |
| Microscope   | Tensile strength tester  | Spring tester  |
|  A white and black compound microscope with a large objective lens and a camera attachment on top.  |  A blue and white mechanical testing machine with a vertical frame and a sample being held in place.  |  A white mechanical testing machine with a digital display and a control panel, used for testing springs.                            |

## ***Verpakking Picture***

