


Dubbelkop Contact Pogo Pin-connector

Specificatie:

Merk	SFENG DOORVRAGEN
Item Nummer	Pogo-pin met dubbele kop GB031D570D20-BB-A6
Materiaal	Plunjer: Becu / Verguld Plunjer: Becu / Verguld Vat: PhBz / Verguld Lente: Muziekdraad / Verguld
Lente kracht	20g
Aanbevolen reizen	0,65 mm
Volledige reis	1,1 mm
Toonhoogte	0,45
Contact Weerstand	100m ohm
Cyclustijd	100.000 keer
MOQ	100 STUKS als Wij hebben voorraad
Leiding tijd	2-15 dagen na ontvangen de betaling









Onze voordelen:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

Ons hoofdproduct:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Uitrustig testen:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Pakket:

