


## Dubbel hoofd contact Pogo Pin Connector

Specificatie:

Merk	SFENG SONDE
Item Aantal	<b>Dubbele kop pogo pin</b> SF031U330U30
Plunjer	Becu
Vat	PhBz
De lente	SWP
plating	goud plated over- nikkel
De lente dwingen	30g of afgestemde
Contact Weerstand	<50m ohm
Stroom rantsoen	1A
MOQ	100st als wij hebben voorraad
Lood tijd	2-15 dagen na ontvangende de betaling

afbeelding Laten zien:



**SFENG**  
The China's The World's



Onze voordelen:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

Ons belangrijkste product:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;  
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;  
Double ended probe for BGA and Semiconductor testing;  
Universal pin without spring, coating pin, LM pin with QZ and VZ series;  
High current probe, Switch probe, Capacitance needle;  
Terminal & receptacle /socket;  
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Uitrustig testen:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Pakket:

