

15A current probe with crown head tip probe SF-420 BY 4850

Product Specification

Brand	SFENG
Item number	SF-420 by 4850
Plunger	Bronze
Barrel	Brass
Spring	stainless steel
Spring force	730g @ load 7.7mm rated stroke
Current Ration	15A
Plating	Gold plating
Pitch	No
Mounting hole size	No
MOQ	100pcs
Lead time	7 working days after receiving the payment


Product pictures

SFENG
The China's The World's





Product drawing



our Service

1. We can reply your inquiry within 24 working hours.

2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;



Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;


Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Package



Shipping:

