

Product name:

Material and finishes

Plunger: Bronze or Brass or BeCu, gold plated or nickel plated;

Barrel: Brass, Gold plated or Nickel plated;

Spring: Stainless steel

Pictures and drawing

大电流针420×4850

Materials (Plated) (材質與鍍層):

- ① Barrel (針套) : Brass (黃銅) , Au on Ni Plated 2-3u"
- ② Plunger (針軸) : SK4 (高碳鋼) , Au on Ni Plated 2-3u"
- ③ Tip (頭部) : Brass (黃銅) , Au on Ni Plated 2-3u"
- Spring (彈弓) : SUS304 (不鏽鋼線) , /

Specifications (技術要求):

- Current Rating (額定電流) : 15A
- Contact Resistance (接觸電阻) : <50mΩ
- Rated Stroke (額定沖程) : 7.7mm
- Spring Force (額定彈力) : 730±10%±0 load 7.7mm

				名稱		大电流针420×4850		胜峰探针	
								说明: 1、所有尺寸的单位为mm	
								2、未注图示尺寸公差:	
								按GB1804-79 11级精度执行。	
设计	标准化	日期		图样标记	质量	比例			
校对	审定			S A		5:1			
审核	制图	徐松孟							
工艺	日期	2016.07.21			共 1 页	第 1 页			



- Any tips,we could provide for you
- If you are interested in it,pls contact me







Our Advantages

- 1.we have 30 years experience in probe pin and have ourself factory.
- 2.we provide free sample and have a testing department.
- 3.we could manufacture products as your request.
- 4.we guarantee best price and good service.

Our Main Product



Testing Equipment Control

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Package

