



[3A Current Ration pogo pin connector for ITC E-Cigarette](#)

Specification

Item Name	3A Current Ration for ITC E-Cigarette
Size	pogo pin connector SF-PPA2.0*4.4MM
Plunger Material	Brass, Gold plated over nickel
Barrel Material	Brass, Gold plated over nickel
Spirng Material	Stainless steel 304
Current Ration	3A Max
Spring force	150g \pm 20%g
Rated Voltage	24V
Durability	10000cycles at least
Package	plastic box into cartons or customized
Lead Time	2-12 days after receiving the payment.

SFENG
The China's The World's





NOTE:







1. Material
Plunger: Brass C3604
Barrel: Brass C3604
Spring: SUS 304
2. Plating
10micro inch minimum Au over 60-100micro inch nickel
3. Electrical
Rated current & voltage: 24V 2A (PEAK 3A)
Contact resistance: 100mohm maximum at working height (quiescence)
4. Mechanical
Single pin spring force: $150 \pm 20\%$ g at normal working height
Durability: 10000 cycles minimum
5. To ensure the best usage, please operate it based on the working height
6. RoHS and HF compliant product



SFENG Probe factory introduction

Suzhou Shengyifurui Electronic Technology Co.,Ltd is specializing in the spring probe&the pogo pin with high quality,low price and fast delivery.We have our own brand,we always devote ourselves to achieving international standards,our company have passed the ISO9001-2008 quality managements certification and our products are qualified of RoHs.

Quality Test equipment

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Packaging

