

## Product Specification

Brand	SFENG
Item number	SF-P156
Plunger	brass
Barrel	brass
Spring	SUS or Music wire
Spring Force	250g
Full Travel	6.30(0.2480")
Current Ration	5A
Current Resistance	50mW
Pitch	4.75(0.1870")
Mounting hole size	2.75(0.1083")/2.80(0.1102")
MOQ	100 pcs
Lead time	7 working days after receiving the payment

## Product Picture



## Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

## Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

## Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door on the upper half and a control panel on the right side.	 A white, rectangular device with a black front panel. It features a red power switch, several knobs, and output terminals. The text "YoRI ADJUSTABLE DC POWER SUPPLY" is visible on the panel.	 A white, rectangular device with a digital display showing "8.888". It has a "BLIND TEST" warning symbol and a "VOLTAGE PROTECT" indicator.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a stage, objective lenses, and an eyepiece.	 A blue and white machine with a vertical column and a sample holder, used for testing the tensile strength of materials.	 A white machine with a digital display and a control panel, used for testing the properties of springs.

## Packing Picture

