

Brass pogo pin with thread screw M3

Specification

Item Name	Brass pogo pin with thread screw M3
Material and finishes	Plunger:Brass,gold plated over nickel plated; Barrel:Brass,Gold plated over Nickel plated; Spring:Stainless steel;
Spring force	400g
Lead time	3-10 days
Shipment	DHL/TNT/UPS/FEDEX

SF-PA5.8X36-J/M3

Materials (Plated) (材質與鍍層):

Barrel (針套) : Brass (黃銅) , Au on Ni Plated

Plunger (針軸) : Brass (黃銅) , Au on Ni Plated

Spring (彈弓) : SUS304 (不鏽鋼) , /

Specifications (技術要求):

Contact Resistance (接觸電阻) : 50mΩ

Full Stroke (滿沖程) : 10mm

Spring Force (測定彈力) : 400±10%gf@ load 10mm


				名稱		胜峰探针 说明: 1、所有尺寸的单位为mm 2、未注图示尺寸公差: 按GB1804-79 11级精度执行。	
				SF-PA5.8X36-J/M3			
标记	页数	更改文件号	签字	日期	图样标记	质量比例	
设计			标准化		S A	4:1	
校对			审定				
审核			制图	徐松孟			
工艺			日期	2016.10.07	共 1 页	第 1 页	




SFENG Probe factory introduction

Suzhou Shengyifurui Electronic Technology Co.,Ltd is specializing in the spring probe&the pogo pin with high quality,low price and fast delivery.We have our own brand,we always devote ourselves to achieving international standards,our company have passed the ISO9001-2008 quality managements certification and our products are qualified of RoHs.


Quality Test equipment



1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

Packaging

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.

