

Product Specification

| | |
|--------------------|--|
| Brand | SFENG |
| Item number | SF-P100 |
| Plunger | Brass or Becu,gold or Ni plated |
| Barrel | Brass,gold or Ni plated |
| Spring | SK4,music wire |
| Spring Force | 200g |
| Full Travel | 6.4mm |
| Current Ration | 3A |
| Current Resistance | 50mΩ |
| Pitch | 2.54mm |
| Mounting hole size | 1.7mm |
| MOQ | 100 pcs |
| Lead time | 7 working days after receiving the payment |

Product Picture









Our Service

- 1.Reply your inquiry withn 24 working hours
- 2.Customized design is available,OEM are welcomed
- 3.Delivery the probe pins to our clients all over the world with speed and precision
- 4.provide the lowest price with high quality to our client

Main Products

- Spring loaded pin(single) for PCB,ICT,FCT testing,etc;
- Pogo pin(connector) to establish a(usuallytemporary)connection between two printed circuit boards for charging, locating, Battery, Semiconductor & interconnectApplications;
- Double ended probef orBGA&semiconudtion testing;
- Universal pin without spring,coatingpin,LM pin withQZ&VZseries;
- High current probe,Switch probe,Capacitance needle...
- Terminal&receptacle/socket;
- Other related electronic compents,30#OKwire,Jig locks,POM,Ironhinge,etc

Quality Control

| | | |
|---|--|--|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  A tall, white, industrial-grade cabinet with a glass door on the upper half and a solid door on the lower half. It is situated in a laboratory or workshop environment. |  A white, rectangular benchtop power supply. The front panel features a red power switch, a digital display, and several control knobs and terminals. The brand name 'YoRi' and 'ADJUSTABLE DC POWER SUPPLY' are visible on the top left. |  A white benchtop instrument with a large green digital display showing '8888'. It has a warning symbol and a 'ZERO' button on the right side. The top of the device has Chinese characters. |
| Microscope | Tensile strength tester | Spring tester |
|  A white and black compound microscope with a large objective lens and a camera attachment on top. It is placed on a wooden table. |  A blue and white mechanical testing machine with a vertical frame and a central testing area. It is located in a laboratory setting. |  A white mechanical testing machine with a digital display and a control panel. It is used for testing springs and is placed on a wooden table. |

Packing Picture

