

Specifications


Brand	SFENG
Model	5 A Coaxial probe SF-2.9*36
Plunger	Beryllium Copper
Body	Brass
Spring	Music wire
Spring force	Customized
Full travel	Customized
Rated voltage	NO
Current Resistance	NO
Spacing	NO
Mounting dimensions	NO
MOQ	100
delivery time	15 Days after confirming order

Product Image





Coaxial contact probe drawing



Materials(Plated) (材質與鍍層):
 Barrel(針套): Brass(黃銅), Au on Ni Plated
 Plunger(針軸): BeCu(鈹銅), Au on Ni Plated
 Spring(彈弓): SWP (琴鋼線), Au on Ni Plated

Specifications (技術要求):
 Current Rating(額定電流): **5A**
 Contact Resistance(接觸電阻): $\leq 20m\Omega$

名稱	最大行程 (mm)	壓縮行程 2.5mm/g	彈行程/g
電流針	4.40	540 \pm 15%/g	
名稱	最大行程 (mm)	壓縮行程 1.0mm/g	彈行程/g
電壓針	1.20	240 \pm 15%/g	

						名稱:	勝峰科技
						SF-2.9X36.0同心針-頭3.5	說明:
標記	處數	更改文件號	簽	字	日期	圖樣標記	1. 所有尺寸單位為mm 2. 未註圖示尺寸公差: 按GB1804-79 11級精度執行
設計			標準化			視圖	圖紙編號:
校對			審定			質量	
審核			制圖	HJQ		比例	
工藝			日期	2019-1-8		共 1 頁	第 1 頁

our service

1. Quick response.
2. Customized is accepted.
3. Short production time and fast delivery.
4. High quality and good price.

Main products

Spring-loaded pin (single) of PCB, ICT, FCT testing;

Spring pin (connector) to establish a connection between two printed circuit boards for charging, positioning, batteries, semiconductors and amplifiers; interconnect applications;

BGA and semiconductor test double-ended probe;

Universal pin no spring, paint needle, LM pin QZ and VZ series;

High current probe, the probe switches, capacitors needle;

Pier and amplifier; socket / socket;

Other related electronic components, 30 # OK line, jig lock, POM, iron hinges, etc.

Production process



1. Raw material warehouse



2. Lathe workshop



3. Assemble workshop



4. Quality inspection




5. Finished products




6. Packing

Testing equipment



1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

Packing & delivery

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.

