

Product Specification

Brand	SFENG
Item number	SF-P50-T
Plunger	Brass or Becu,gold or Ni plated
Barrel	Brass,gold or Ni plated
Spring	SK4,music wire
Spring Force	100g
Full Travel	2.5mm
Current Ration	1.5A
Current Resistance	50mΩ
Pitch	1.27mm
Mounting hole size	0.9mm
MOQ	100 pcs
Lead time	7 working days after receiving the payment

Product Picture



The product picture shows a set of seven gold-colored plungers arranged in a fan shape. The background is a light gray surface. In the top left corner, the SFENG logo is displayed in white on a blue background, with the Chinese characters '胜峰探针' above it and the tagline 'The China's The World's' below. To the right of the logo are three certification logos: a green leaf logo for RoHS, a circular logo for ISO 9001 Quality Assured Firm by SGS, and the CE mark. At the bottom of the image, the website address 'chinapogopinsupplier.com' is written in white on a blue background.

胜峰探针
SFENG
The China's The World's

RoHS

QUALITY ASSURED FIRM
ISO 9001
SGS

CE

chinapogopinsupplier.com

Our Service







- 1.Reply your inquiry withn 24 working hours
- 2.Customized design is available,OEM are welcomed
- 3.Delivery the probe pins to our clients all over the world with speed and precision
- 4.provide the lowest price with high quality to our client

Main Products

- Spring loaded pin(single) for PCB,ICT,FCT testing,etc;
- Pogo pin(connector) to establish a(usuallytemporary)connection between two printed circuit boards for charging, locating, Battery, Semiconductor & interconnectApplications;

- Double ended probe or BGA & semiconduction testing;
- Universal pin without spring, coating pin, LM pin with QZ & VZ series;
- High current probe, Switch probe, Capacitance needle...
- Terminal & receptacle/socket;
- Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge, etc

Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Packing Picture

