



Product Specification


| | |
|-------------|--|
| Brand | SFENG |
| Item number | pogo pim |
| Plating | Ni-plated or Gold-plated |
| Lead time | 7 working days after receiving the payment |

Product Picture







SF-P071G-250




SF-P073G-205




SF-P089G-098




SF-P095G-250




SF-P101G-200




SF-P105G-210




SF-P110G-180




SF-P111G-150




SF-P120G-200




SF-P130G-210




SF-P141G-098




SF-P154G-250



SF-155G-150




SF-167G-250




SF-169G-170


szshengfengdz.en.alibaba.com



SF-174G-200



SF-P180G-210



SF-P180G-320

Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Quality Control

| | | |
|--|--|---|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  |  |  |
| Microscope | Tensile strength tester | Spring tester |
|  |  |  |

Packing Picture

