

Product Specification

Brand	SFENG
Item number	SF-P125-J
Plunger	Brass or Becu,gold or Ni plated
Barrel	Brass,gold or Ni plated
Spring	SK4,music wire
Spring Force	200g
Full Travel	6.3mm
Current Ration	5A
Current Resistance	50mΩ
Pitch	3.17mm
Mounting hole size	2.4mm
MOQ	100 pcs
Lead time	7 working days after receiving the payment

Product Picture



胜峰探针
SFENG
The China's The World's




chinapogopinsupplier.com

胜峰探针
SFENG
The China's The World's

RoHS

QUALITY ASSURED FIRM
ISO 9001
SGS

CE



chinapogopinsupplier.com

Our Service

- 1.Reply your inquiry within 24 working hours
- 2.Customized design is available,OEM are welcomed
- 3.Delivery the probe pins to our clients all over the world with speed and precision
- 4.provide the lowest price with high quality to our client

Main Products

- Spring loaded pin(single) for PCB,ICT,FCT testing,etc;
- Pogo pin(connector) to establish a(usuallytemporary)connection between

two printed circuit boards for charging, locating, Battery, Semiconductor & interconnectApplications;

---Double ended probe orBGA&semiconudtion testing;







---Universal pin without spring,coatingpin,LM pin withQZ&VZseries;

---High current probe,Switch probe,Capacitance needle...

---Terminal&receptacle/socket;

---Other related electronic compents,30#OKwire,Jig locks,POM,Ironhinge,etc

Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Packing Picture

