
Production specifications

Item number	SF-P50					
Pitch	1.27mm					
Mounting hole size	V:0.90mm W:0.95mm					
Full travel	2.5					
Spring force	100g					
Current ration	1.5A					
Current resistance	$50 \mathrm{m}\Omega$					
MOQ	100PCS					
Payment	T/T					
Delivery time	5-10days after receiving the payment					


Product Pictures

SF-P50



Probe specifications SF-P50(技术规格)

- Recommended minimum center(最小问距):
 1.27mm(.0500 ")
- Mounting hole size(钻孔尺寸): V: 0.90mm(.0354 ") W: 0.95mm(.0374 ")
- Full travel(行程): 2.5(.0984")
- Spring force(弾簧压力): 100g
- Materials and finishes(材料及涂饰):
 Plunger:Be Cu,Rh plated; SK4,Rh plated
 Barrel:Phosphor bronze,Gold plated
 Spring:Stainless steel
- Current ration(額定电流): 1.5A(安培)
- Contact resistance(接触电阻): 50mΩ(毫欧姆)







Production Flow

Production Flow (生产流程)









1. raw material warehouse 2. Lathe workshop

3. Assemble workshop







4. Quality inspection


5. Finished products


6. Packing

Testing Equippment

Measuring Equipment >











Measuring Equipment:

- 1. Agilent current testing;
- 2. Quadratic element measurement
- 3.Load Curve Meter
- 4.Bond Test
- 5.Life Fatigue Test

Packing



Main products

- 1.Spring loaded pin(single)for PCB,ICT,FCTtesting etc;
- 2.Pogo pin(connector)to establish connection between two printed circuit boards for charging,loc ating,battery,semiconductor&interconnector applications;
- 3. Double ended probes for BGA and semiconductor testing;
- 4. Universal pin without spring, coating pin, LM pin with QZ and VZ series;
- 5. High current probe, switch probe, capacitance needdle;
- 6.Terminal&receptacle/socket;
- 7.Other related electronic components, Jig locks, POM and etc.

Whatever you want, please contact us without hesitation ,and we will try our best to meet your requirement within our capability.

Our service

- 1.We can reply your inquiry within 24 working hours;
- 2. Customized design is available and OEM are welcomed;
- 3.We can deliver the probe pins to our clients all over the world with speed and precision.

4.We	can	provide	the	lowest	price	with	high	quality	products	to	our	clients.