
# Double ended pin contact pogo pin SF-PPA0.31 BY 6.3-BB

## Specification:

Brand	SFENG PROBE
Item Number	Double ended pin contact pogo pin SF-PPA0.31 BY 6.3-BB
Plunger	Becu
Barrel	PhBz
Spring	SWP
Plating	gold plated over nickel
Spring force	20g ±20% @ load 0.70mm working stroke
Contact Resistance	□50m ohm
Current ration	1A
MOQ	100PCS if we have stock
Lead time	2-15days after receiving the payment

## Picture Show:





#### Our Advantages:

- 1.we have 30 years experience in probe pin and have ourself factory.
- 2.we provide free sample and have a testing department.
- 3.we could manufacture products as your request.
- 4.we guarantee best price and good service.

Our Main Product:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two
printed circuit boards for charging, locating, Battery, Semic
onductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ a
nd VZ series;


High current probe, Switch probe, Capacitance needle; Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig loc ks, POM, Iron hinge etc

#### **Testing Equipment:**



1. Agilent current testing



2. Quadratic element



3.Load Curve Meter



4.Bond Test



5.Life Fatigue Test



6.Microscope

### Package:

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.













