

Fully gold plating spring loaded pogo pin test probe pin contact pogo pin connector

Product Picture





SF-P071G-250



SF-P073G-205



SF-P089G-098



SF-P095G-250



SF-P101G-200



SF-P105G-210



SF-P110G-180



SF-P111G-150



SF-P120G-200



SF-P130G-210



SF-P141G-098



SF-P154G-250



SF-P155G-150



SF-P167G-250



SF-P169G-170




SF-P174G-200




SF-P180G-210




SF-P180G-320




SF-245G-300




SF-P080G-170




SF-P085G-150




SF-P090G-180



SF-T125G-180



SF-T083G-260



SF-112G-300



Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

Main Products

[Spring loaded pin \(single\) for PCB, ICT, FCT testing](#) etc;

[Pogo pin \(connector\)](#) to establish connection between two [printed circuit boards](#) for [charging pogo pin](#), [locating pogo pin](#), [Battery pogo pin](#), [Semiconductor probe](#) & Interconnect applications;

[Double ended probe](#) for [BGA and Semiconductor testing](#);







[Universal pin](#) without spring, [coating pin](#), [LM pin](#) with QZ and VZ series;

[High current probe](#), [Switch probe](#), Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door and a control panel on the right side.	 A white, rectangular device with a black front panel. It has a red power switch, several knobs, and output terminals. The text "YoRi ADJUSTABLE DC POWER SUPPLY" is visible on the front.	 A white, rectangular device with a large green digital display showing "8888". It has a warning symbol and a control knob on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a stage and objective lenses.	 A blue and white machine used for testing the tensile strength of materials, featuring a vertical column and a sample holder.	 A white and blue machine used for testing springs, with a vertical column and a digital display on the front.

Packing Picture

