
Product specifications

Item number	SF5067
Rated current	3A
Rated resistence	≤50mΩ
Spring force	100g±20g
Switching path	1.0mm
Plunger	Ph, Ni plated
Barrel	Brass, gold plated
Tail pin	Brass, gold plated
Spring	SUS
Customize support	OEM & ODM
MOQ	100PCS
Package	Plastic bag,carton box
Payment	100% T/T before shipment
Delivery time	5-10days after receiving the payment

Product Pictures



材质与弹力: 1. 外套: 黄铜镀金 2. 针头: 磷铜镀金 3. 尾针: 黄铜镀金

4. 弹簧: 不锈钢线

技术要求:

额定电流: 3A
额定电阻: ≤50mΩ
开关距离: 1.0mm

4. 开关弹力: 100g±20g

Production Flow

Production Flow (生产流程)









1. raw material warehouse 2. Lathe workshop

3. Assemble workshop








4. Quality inspection


5. Finished products

6. Packing

Testing Equippment

Measuring Equipment >











Measuring Equipment:

- 1. Agilent current testing;
- 2. Quadratic element measurement
- 3.Load Curve Meter
- **4.Bond Test**
- **5.Life Fatigue Test**



Main products

- 1.Spring loaded pin(single)for PCB,ICT,FCTtesting etc;
- 2.Pogo pin(connector)to establish connection between two printed circuit boards for charging,loc ating,battery,semiconductor&interconnector applications;
- 3. Double ended probes for BGA and semiconductor testing;
- 4. Universal pin without spring, coating pin, LM pin with QZ and VZ series;
- 5. High current probe, switch probe, capacitance needdle;
- 6.Terminal&receptacle/socket;
- 7.Other related electronic components, Jig locks, POM and etc.

Whatever you want, please contact us without hesitation , and we will try our best to meet your requirement within our capability.

Our service

- 1.We can reply your inquiry within 24 working hours;
- 2. Customized design is available and OEM are welcomed;
- 3.We can deliver the probe pins to our clients all over the world with speed and precision.
- 4.We can provide the lowest price with high quality products to our clients.