Product Specification

Brand	SFENG
Item number	Terminal pin SF-Pin 2.05*6.85mm
Material and Plating	Brass, Gold-plated over nickel plated.
Lead time	7 working days after receiving the payment

Product Picture

terminal pin SF-Pin 2.05*6.85mm

Dimensions: 6.85, 3.35, 0.50, Ø3, Ø2.05/2.00, Ø1.03/0.98, 0.25 x 45° 2 PLACES

Our Service

1. We can reply yourinquiry within 24 working hours.

2. Customizeddesign is available and OEM are welcomed.

3. We can deliverthe probe pins to our clients all over the world with speed and precision.

4. We can providethe lowest price with high quality product to our client   .

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;

Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
Microscope	Tensile strength tester	Spring tester

Packing Picture