

## Product Specifications

Brand	SFENG
Model	NO
Needle bar	NO
Needle	NO
Spring	NO
Elasticity	NO
Full travel	NO
Rated voltage	NO
Current Resistance	NO
Spacing	NO
Mounting dimensions	NO
MOQ	2000
delivery time	7 Days after receipt of payment

## Product Image



## our service

1. We can get back to you Inquiry within 24 working hours.

2. Custom Designed to provide OEM welcome.
3. We can provide The probe for our customers around the world throughout the speed and accuracy.
4. We can offer At the lowest price provide high quality products to our customers.

## **Main products**

Spring-loaded pin (single) of PCB, ICT, FCT testing;

Spring pin (connector) to establish a connection between two printed circuit boards for charging, positioning, batteries, semiconductors and amplifiers; interconnect applications;

BGA and semiconductor test double-ended probe;

Universal pin no spring, paint needle, LM pin QZ and VZ series;

High current probe, the probe switches, capacitors needle;

Pier and amplifier; socket / socket;

Other related electronic components, 30 # OK line, jig lock, POM, iron hinges, etc.

**QC**

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

***Packing pictures***

