


## High quality contact pogo pin with gold plating


### Product Picture

Item Name:	Brass spring loaded pogo pin connector/brass contact pogo pin
Material and finishes:	Plunger:Brass,gold plated over nickel plated; Barrel:Brass,Gold plated over Nickel plated; Spring:Stainless steel;
Spring force:	customized;
Lead time:	3-10 days
Shipment:	DHL/TNT/UPS/FEDEX







SF-P071G-250




SF-P073G-205




SF-P089G-098




SF-P095G-250




SF-P101G-200




SF-P105G-210




SF-P110G-180




SF-111G-150




SF-120G-200




SF-130G-210




SF-141G-098




SF-154G-250




SF-155G-150




SF-167G-250




SF-169G-170



SF-174G-200



SF-P180G-210



SF-P180G-320

## Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client.

## Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;

Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;


Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

## Quality Control



1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

## Packing Picture

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.

