


Product Specification

Brand	SFENG
Item number	pogo pin SF-111G-150
Material and Plating	Brass, Gold-plated
Lead time	7 working days after receiving the payment

Product Picture





Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door and control panel on the right side.	 A white, rectangular benchtop power supply unit with various knobs and buttons on the front panel. The brand name 'YoRi' is visible.	 A white benchtop instrument with a large green digital display showing '8888' and a control knob on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope on a wooden table.	 A blue and white mechanical testing machine with a vertical column and a sample holder.	 A white and blue mechanical testing machine with a vertical column and a sample holder, similar to the tensile strength tester.

Packing Picture

