


ICT test probe SF-PS160-T1.36*10.56MM

Product Specification

Brand	SFENG
Item number	PS160-D(2.0)
Plunger	Brass or Becu,gold or Ni plated
Barrel	Brass,gold or Ni plated
Spring	SK4,music wire
Spring Force	according to your requirement
MOQ	100 pcs
Lead time	7 working days after receiving the payment

Product Picture





Materials(Plated) (材質與鍍層) :

- ①Barrel(針套) : Brass(黃銅) , Au on Ni Plated
 ②Plunger(針軸) : Brass(黃銅) , Ni Plated
 Spring(彈弓) : SUS304 (不鏽鋼線) , /

Specifications (技術要求) :

- Current Rating(額定電流) : 3A
 Contact Resistance(接觸電阻) : <50mΩ
 Full Stroke(滿沖程) : 2.08mm
 Spring Force(額定彈力) : 150~200gf@ load 2.08mm


Our Service

- 1.Replyyour inquiry withn 24 working hours
- 2.Customizeddesign is available,OEM are welcomed
- 3.Deliverythe probe pins to our clients all over the world with speed and precision
- 4.providethe lowest price with high quality to our client


Main Products

- Spring loadedpin(single) for PCB,ICT,FCT testing,etc;
- Pogopin(connector) to establish a(usuallytemporary)connection between
 twoprinted circuit boards for charing, locating, Battery, Semiconductor &
 interconnectApplications;
- Double endedprobe for BGA&semiconudtion testing;
- Universal pinwithout spring,coatingpin,LM pin withQZ&VZseries;
- High currentprobe,Switch probe,Capacitance needle...
- Terminal&receptacle/socket;
- Other relatedelectronic compents,30#OKwire,Jig locks,POM,Ironhinge,etc


Quality Control



1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

Packing Picture

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.

