

## Product Specification

Brand	SFENG
Item number	SF-P75
Plunger	brass
Barrel	brass
Spring	SUS or Music wire
Spring Force	120g
Full Travel	3.35(0.1319")/2.5(0.0984")
Current Ration	3A
Current Resistance	50mW
Pitch	1.90(0.0748")
Mounting hole size	1.35(0.0532")/1.40(0.0551")
MOQ	100 pcs
Lead time	7 working days after receiving the payment

## Product Picture



胜峰探针  
**SFENG**  
The China's The World's



[chinapogopinsupplier.com](http://chinapogopinsupplier.com)

## ***Our Service***

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

## **Main Products**

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

## Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
 A large, white, industrial-grade machine with a glass door and control panel, used for testing spring exhaustion.	 A white, rectangular DC power supply unit with a black front panel, labeled 'YoRI ADJUSTABLE DC POWER SUPPLY'. It features a red emergency stop button, a power switch, and several output terminals.	 A white, rectangular electronic device with a green digital display showing '8888'. It has a warning symbol and a dial on the right side, used for testing current resistance.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a digital display on top, used for inspecting small components.	 A blue and white mechanical testing machine with a vertical frame and a load cell, used for measuring tensile strength.	 A white and blue mechanical testing machine with a digital display and a load cell, used for testing spring properties.

## Packing Picture

